

Elektrische VloerENZAAGmachines

Diacom heeft naast de geavanceerde DCFS-15 twee kleinere en goedkopere modellen geïntroduceerd. Deze machines zijn lichter in gewicht en in vermogen, maar wel zeer eenvoudig in gebruik, wendbaar en worden manueel bediend. Ze passen eenvoudig in elke bus.

DCFS 7.5

Elektrisch, manueel bediend, 380Volt

5 polig, 16,0 Amp, 7,5 kW, 180 kg

Ø600 = 25 cm diep.

Manueel bediend.

Zeer kleine en compacte machine, past eenvoudig in elke bus. Inclusief 10l watertank.

DCFS 10

Elektrisch, manueel bediend, 380Volt

5 polig, Amp 16,0, 10,0 kW, 200 kg.

Ø800 = 32 cm diep.

Manueel bediend.

Robuust en compacte machine.



OMSCHRIJVING	DCFS-7.5	DCFS-10.0
Motor	380V - 7.5 kW	380V - 10.0 kW
Bediening	Manueel	Manueel
Max. zaagblad (mm)	Ø 600 mm	Ø 800 mm
Max. zaagdiepte (cm)	25 cm	32 cm
Bladopname	H60 mm	H25,4 mm
Gewicht	180 kg	200 kg
Watertank	10L, ja	Nee

Elektrische VloerENZAAGmachine

De Diacom **DCFS-15** volautomatische vloerENZAAG is de meest compacte gebouwde vloerENZAAG in zijn klasse. Door gebruik te maken van twee geschakelde 7.5 kW motoren is het mogelijk geweest om een kleine vloerENZAAG te bouwen met een totaal vermogen van 15 kW.

Tweede voordeel van het gebruik van twee motoren is dat de gewichtsverdeling boven op de zaagas optimaal is. Hierdoor is de druk op het zaagblad groot, wat een stabiele zaagdiepte en loop garandeert en verbetert de zaagprestaties

DCFS 15

Elektrisch, volautomaat, 400V

5 polig, 32,0 Amp, 2 x 7,5 kW, 365 kg.
Frequentie regelaar



OMSCHRIJVING	DCFS-15
Vermogen motor	15 kW/380 V
Amperage	32 Amp. – 5 polig
Diameter zaagblad	Ø800 – 1000 - 1200 mm
Max. Zaagdiepte	32 cm – 42 cm - 52 cm
Standaard geleverd	Zaagkap 1000 mm
Diepte aflezing	Ja
Zaagkap links en rechts monteerbaar	Ja
Gewicht totaal	365 kg
Afmeting LxBxH	150 cm x 60 cm x 110 cm
Voortgang	Automatisch d.m.v. hydrosta
Diepte instelling	Automatisch d.m.v. joystick
Zaagas	Ø60 mm opname



GS15



Electric Floor Saw
11,0 Kw – Ø1000



SUNDT Electric Floor Saw GS15

Electric

Electric motor: Air cooled

Power output:
GS15 11 kW/15HP

Voltage / current:
GS15 400V/22 A

Features

Blade cooling: Both sides

Blade uptake: Left / Right

Transmission: 4 V-belts

Diamond tools

Blade diameter: **Ø1000**

Blade

Rpm Max 1150 rpm

Cutting depth: Max 420 mm

Blade fit Ø 25.4 / Ø 60

Dimensions

Length: 1180 mm

Width: 800 mm

Height: 1070 mm

Weight: 280 kg



GS675



Electric Floor Saw

7,5Kw – Ø600



Sundt GS675 Electric Floor Saw

Electric

Electric motor:

Air cooled

Power output:

GS675

7.5 kW

Voltage/current:

400V/15.5A

Voltage/current

230V/18,5A

Features

Blade cooling:

Both sides

Blade uptake:

Left / Right

Transmission:

4 V-belts

Flush cutting

Optional

Diamond tools

Blade diameter:

Max Ø 600 mm

Blade

Speed rpm

1700 rpm

Cutting depth:

250 mm

Blade fit:

Ø 25.4 / Ø 60

Dimensions

Length:

880 mm

Width:

650 mm

Height:

1200 / 800 mm

Weight:

112 kg



GS811



Electric Floor Saw
11,0 Kw – Ø800



SUNDT GS811 Electric Floor Saw

Electric

Electric motor:	Air cooled
Power output:	
Voltage/current:	
Power output	11,0 Kw/15Hp
Voltage/current	400V/21,6A

Features

Blade cooling:	Both sides
Blade uptake:	Left / Right
Transmission:	Four V-belts
Flush cutting equipment:	
Crane hook:	3

Diamond tools

Blade diameter:	Max Ø 800
-----------------	-----------

Saw blade

Speed:	1400 rpm
Cutting depth:	320 mm
Blade fit:	Ø 25.4/ Ø 60


Dimensions

Length:	1000 mm
Width: 6	30 mm
Height:	1000 mm
Weight:	185 kg



GSA


Semiautomatic Electric Floor Saw



GSA 20/25(LS)

New model

15,0/18,5 Kw – Ø1000/1200 (LS)



GSA20 GSA20LS


Semi Automatic Electric Floor Saw

Electric		Diamond tools	
Electric motor:	Air cooled IE2	Blade diameter:	Ø1000/LS Ø1200
Power output:			
GSA20/GSA20LS	15,0kW	Speed	1150 rpm
GSA25/GSA25LS	18,5kW	Speed LS:	980 rpm
Voltage / current:		Cutting depth:	Max 520 mm
GSA20/GSA25	400V / 28,5 A	Blade fit/arbores:	Ø 25.4 / Ø 60
GSA25/GSA25LS	400V / 28,5 A		
Hz	50Hz	Dimensions	
Features		Length:	1180 mm
Blade cooling:	Both sides	Width:	800 mm
Blade uptake:	Left / Right	Height:	1070 mm
Transmission:	4 V-belts	Weight:	350 kg



GXL

Fully automatic Electric Floor Saw



GXL 2nd Edition

New quality power pack from Sundt

GXL 2nd Edition benefits

Control panel



- New ergonomic design
- New electrical system
- 400V – 12V AC/DC
- Joy stick movement
- Start/stop main motor.
- Start/stop propulsion motor.
- Battery indicator
- Lamp indicator.
- Emergency stop.
- Dead man cord

The 5th Wheel



- New hydraulic system
- 12V battery
- New hydraulic cylinder
- Raise and lower the machine
- Easy to move

Winch rope system.



- Super winch LT2000
- 12V – DC system
- Line pull 907 kg
- Wire length 15,2 m
- Easy transport
- Easy load



GXL 20 (LS) GXL 25 (LS)

Fully automatic Electric Floor Saw GXL

Electric

Electric motor:	Air cooled
Power output:	
GXL-20	15,0 KW
GXL-25	18.5 KW
Voltage / current:	
GXL 20	400V / 28.5 A
GXL 25	400V / 32.5 A

Features

Blade cooling:	Both sides
Blade uptake:	Left / Right
Transmission:	4 V belts

Diamond tools

Blade diameter:	Ø1000/Ø 1200
Blade	
Speed blade:	1150/980 rpm
Cutting depth:	Max 530 mm
Blade fit	Ø 25.4 / Ø 60

Dimensions

Length:	1600 mm
Width:	810 mm
Height:	1170 mm
Weight:	470 - 480 kg

